

11/12 Try these:

Simplify:

$$1. \sqrt{153} \begin{matrix} \swarrow 9 \searrow \\ \swarrow 17 \searrow \end{matrix} \quad 3\sqrt{17}$$

$$2. 5\sqrt{24} \cdot 2\sqrt{28} \quad \begin{matrix} 5 \cdot 2 \cdot 2\sqrt{6} \cdot 2\sqrt{7} \\ 40\sqrt{42} \end{matrix}$$

$$3. \sqrt{\frac{7}{9}} \cdot \sqrt{\frac{4}{7}} = \frac{\sqrt{7}}{\sqrt{9}} \cdot \frac{\sqrt{4}}{\sqrt{7}} = \frac{\sqrt{28}}{\sqrt{27}} = \frac{2\sqrt{7}}{3\sqrt{3}}$$

$$4. \frac{\sqrt{24} \cdot 80}{\sqrt{192}} \quad \boxed{20\sqrt{2}}$$

$\begin{matrix} 4^2 \cdot 6 \\ 2 \cdot 2 \cdot 2 \cdot 3 \end{matrix}$
 $\begin{matrix} 2^2 \cdot 96 \\ 2^2 \cdot 48 \\ 6^2 \cdot 8 \\ 2 \cdot 2 \cdot 2 \cdot 2 \cdot 3 \end{matrix}$

$$\frac{80 \cdot 2\sqrt{6}}{4 \cdot 2 \cdot 2 \cdot 2\sqrt{3}} = \frac{80\sqrt{6}}{4\sqrt{3}}$$

$$= \frac{80}{4} \sqrt{\frac{6}{3}} = 20\sqrt{2}$$

11/12 Sec. 1.6 Performing Operations
with Complex Numbers

imaginary number
(unit)

$$(i)^2 = (\sqrt{-1})^2$$

$$i^2 = -1$$

$$\boxed{i} = \sqrt{-1}$$



simplified

$$i^2 = \boxed{-1} \text{ real}$$

complex number

standard form

$$a + \underbrace{bi}_{\text{imaginary part}}, \quad a+b \text{ are real numbers}$$

↓
↓
 real part imaginary part

$$a + bi = c + di \quad \text{if and only if}$$

$$a = c \quad (\text{real})$$

$$\text{and} \\ b = d \quad (\text{imag})$$

$$\text{Sum: } (a + bi) + (c + di) = (a + c) + (b + d)i$$

$$\text{Difference: } (a + bi) - (c + di) = (a - c) + (b - d)i$$

Ex: Write the expression as a complex number in standard form.

$$\text{a. } \underline{(12 - 11i) + (-8 + 3i)} \quad 4 - 8i$$

$$\text{b. } (15 - 9i) - (24 - 9i)$$

$$15 - 9i - 24 + 9i = -9 + 0i$$

$$-9$$

$$\text{c. } 35 - (13 + 4i) + i$$

a v i v .

$$d. -5i(8-9i)$$

$$-40i + 45i^2$$

$$-40i + 45(-1)$$

$$-40i - 45$$

$$\boxed{-45 - 40i}$$

Complex #

$$p. 45 (13-25) \text{ odd}$$